

**1 Identification**

- **Product identifier**
- **Trade name:** Servoperl Royal
- **Other means of identification**
- **Application of the substance / the mixture** Sealing mortar
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** Kiesel Bauchemie GmbH & Co. KG  
Wolf-Hirth-Str. 2  
D-73730 Esslingen  
Germany  
**E-Mail:**  
info.canada@kiesel.com  
info.usa@kiesel.com
- **Information department:** Laboratory, departments of environmental protection and labor protection
- **Emergency telephone number:** ChemTel Expert Assistance Hotline 800-255-2824

**2 Hazard identification**

- **Classification of the substance or mixture**
-  **GHS08 Health hazard**  
**Carcinogenicity - Category 1A** H350 May cause cancer.
-  **GHS05 Corrosion**  
**Eye damage/irritation – Category 1** H318 Causes serious eye damage.
-  **GHS07**  
**Skin Irritation - Category 2** H315 Causes skin irritation.
- Combustible Dust/1** May form combustible dust concentrations in air.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**    
**GHS05 GHS08**
- **Signal word** Danger
- **Hazard-determining components of labeling:** Quarz  
Portland Cement  
Titandioxid
- **Hazard statements** Causes skin irritation.  
Causes serious eye damage.  
May cause cancer.  
May form combustible dust concentrations in air.
- **Precautionary statements** Keep out of reach of children.  
Do not handle until all safety precautions have been read and understood.  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

(Contd. on page 2)

# Safety Data Sheet

## according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 1)

**IF ON SKIN: Wash with plenty of water.**  
**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**  
**Immediately call a POISON CENTER/doctor.**  
**IF exposed or concerned: Get medical advice/attention.**  
**Take off contaminated clothing and wash it before reuse.**  
**Store locked up.**  
**Dispose of contents/container in accordance with local/regional/national/international regulations.**

- Information pertaining to particular dangers for man and environment:
- Classification system:
- NFPA ratings (scale 0 - 4)



Health = 3  
 Fire = 0  
 Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Health = \*3  
 Fire = 0  
 Reactivity = 0

### 3 Composition/Information on ingredients

- Composition/Information on ingredients
- Chemical characterization: Mixtures

- Dangerous components:

CAS: 14808-60-7	Quarz (SiO <sub>2</sub> ) Carcinogenicity - Category 1A, H350
CAS: 65997-16-2	Calcium Aluminate Cement Skin Irritation - Category 2, H315;  Eye damage/irritation – Category 2A, H319
CAS: 14808-60-7	Quarz Consisting of: 14808-60-7 Quarz (>98%); 14808-60-7 Quarz (Feinfraktion) (1-10%) Carcinogenicity - Category 1A, H350
CAS: 10034-76-1	Calciumsulfat-Halbhydrat
CAS: 65997-15-1	Portland Cement Eye damage/irritation – Category 1, H318 Skin Irritation - Category 2, H315;  Specific target organ toxicity (single exposure) – Category 3, H335
CAS: 13463-67-7	Titandioxid
CAS: 21645-51-2	Aluminiumhydroxid
CAS: 14807-96-6	Talkum Carcinogenicity - Category 1B, H350

- Additional information: The content of titanium dioxide ( 13463-67-7) with a particle size of < 10 µm is < 1%  
 For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- General information: **Immediately remove any clothing soiled by the product. If you feel unwell, seek medical advice.**

(Contd. on page 3)

# Safety Data Sheet

## according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 2)

- **After inhalation:** *In case of unconsciousness place patient **stably in side position for transportation.**  
Seek medical treatment in case of complaints.*
- **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:** *Rinse opened eye for several minutes under running water.  
Then consult a doctor.*
- **After swallowing:** *rinse out mouth*
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *The product itself does not burn.  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.  
Use fire fighting measures that suit the environment.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **Special hazards arising from the substance or mixture** *Formation of toxic gases is possible during heating or in case of fire.*
- **Advice for firefighters**
- **Protective equipment:** *Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.*

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:** *No special measures required.*
- **Methods and material for containment and cleaning up:** *Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.  
Pick up mechanically.*
- **Reference to other sections** *See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.*

### 7 Handling and storage

- **Precautions for safe handling** *Thorough dedusting.  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with skin and eyes.  
Do not breathe dust.  
Breathing apparatus only if aerosol or dust is formed.  
protected above to humidity*

(Contd. on page 4)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 3)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

## \* 8 Exposure controls/ Personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 14808-60-7 Quarz (SiO<sub>2</sub>)EL (Canada) TWA: 0.025 mg/m<sup>3</sup>  
ACGIH A2; IARC 1EV (Canada) TWA: 0.10\* mg/m<sup>3</sup>  
\*respirable fractionPEL (USA) TWA: 0.05\* mg/m<sup>3</sup>  
\*resp. dust; 30mg/m<sup>3</sup>/%SiO<sub>2</sub>+2REL (USA) TWA: 0.05\* mg/m<sup>3</sup>  
\*respirable dust; See Pocket Guide App. ATLV (USA) TWA: 0.025\* mg/m<sup>3</sup>  
\*respirable particulate matter, A2

CAS: 14808-60-7 Quarz

EL (Canada) TWA: 0.025 mg/m<sup>3</sup>  
ACGIH A2; IARC 1EV (Canada) TWA: 0.10\* mg/m<sup>3</sup>  
\*respirable fractionPEL (USA) TWA: 0.05\* mg/m<sup>3</sup>  
\*resp. dust; 30mg/m<sup>3</sup>/%SiO<sub>2</sub>+2REL (USA) TWA: 0.05\* mg/m<sup>3</sup>  
\*respirable dust; See Pocket Guide App. ATLV (USA) TWA: 0.025\* mg/m<sup>3</sup>  
\*respirable particulate matter, A2

CAS: 10034-76-1 Calciumsulfat-Halbhydrat

EL (Canada) TWA: 10 mg/m<sup>3</sup>  
inhalableTLV (USA) TWA: 10\* mg/m<sup>3</sup>  
\*as inhalable fraction

CAS: 65997-15-1 Portland Cement

EL (Canada) TWA: 1 mg/m<sup>3</sup>  
respirableEV (Canada) TWA: 10(D) mg/m<sup>3</sup>  
total dustPEL (USA) TWA: 50 mppcf or 15\* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

(Contd. on page 5)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 4)

<b>REL (USA)</b>	<b>TWA: 10* 5** mg/m<sup>3</sup></b> <b>*total dust **respirable fraction</b>
<b>TLV (USA)</b>	<b>TWA: 1* mg/m<sup>3</sup></b> <b>E; *as respirable fraction, A4</b>
<b>CAS: 13463-67-7 Titandioxid</b>	
<b>EL (Canada)</b>	<b>TWA: 10* 3** mg/m<sup>3</sup></b> <b>IARC 2B, +total dust; **resp. fraction</b>
<b>EV (Canada)</b>	<b>TWA: 10 mg/m<sup>3</sup></b> <b>total dust</b>
<b>PEL (USA)</b>	<b>TWA: 15* mg/m<sup>3</sup></b> <b>*total dust</b>
<b>REL (USA)</b>	<b>See Pocket Guide App. A</b>
<b>TLV (USA)</b>	<b>TWA: 0.2* 2.5** mg/m<sup>3</sup></b> <b>resp. fraction, *nanoscale, **finescale, A3</b>
<b>CAS: 21645-51-2 Aluminiumhydroxid</b>	
<b>EL (Canada)</b>	<b>TWA: 10 mg/m<sup>3</sup></b>
<b>REL (USA)</b>	<b>TWA: 2 mg/m<sup>3</sup></b> <b>as Al</b>
<b>CAS: 14807-96-6 Talkum</b>	
<b>EL (Canada)</b>	<b>TWA: 2 *0.1 f/cc mg/m<sup>3</sup></b> <b>resp. *if contains asbestos : ACGIH A1, IARC 1</b>
<b>EV (Canada)</b>	<b>TWA: 2* mg/m<sup>3</sup>, 2 f/cc ppm</b> <b>*respirable</b>
<b>PEL (USA)</b>	<b>TWA: 20 mppcf ppm</b> <b>(containing &lt;1% Quartz)</b>
<b>REL (USA)</b>	<b>TWA: 2* mg/m<sup>3</sup></b> <b>*respirable dust; and &lt;1% Quartz</b>
<b>TLV (USA)</b>	<b>TWA: 2* mg/m<sup>3</sup></b> <b>*no asbestos fibers, resp. particulate matter, E, A4</b>

- **Additional information:**                    **The lists that were valid during the creation were used as basis.**
  
- **Exposure controls**
- **Appropriate engineering controls**                    **No further data; see section 7.**
- **Personal protective equipment:**
- **General protective and hygienic measures:**                    **Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.**
- **Breathing equipment:**                    **Suitable respiratory protection for low concentrations or short-term exposure: particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles))  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.  
Breathing apparatus only if aerosol or dust is formed.**
- **Protection of hands:**                    **Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation**

(Contd. on page 6)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 5)

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· Material of gloves</li> <li>· Penetration time of glove material</li> <li>· Eye protection:</li> </ul> | <p><b>Rubber gloves</b></p> <p><b>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</b></p> <p><b>Tightly sealed goggles.</b></p> |
|---|--|

### 9 Physical and chemical properties

- Information on basic physical and chemical properties
  - Physical state: Solid
  - Color: According to product specification
  - Odor: Light
  - Odor threshold: Not determined.
  - Melting point/Melting range: undetermined
  - Boiling point/Boiling range: nicht anwendbar
  - Flammability: Not determined.
  - Explosion limits:
  - Lower: Not determined.
  - Upper: Not determined.
  - Flash point: Not applicable.
  - Decomposition temperature: Not determined.
  - pH-value at 20 °C: 12 (5%)
  - Viscosity:
  - Kinematic: Not applicable.
  - Dynamic: Not applicable.
  - Solubility in / Miscibility with
  - Water: is setting hydraulically
  - Partition coefficient (n-octanol/water): Not determined.
  - Vapor pressure: Not applicable.
  - Vapor pressure:
  - Density at 20 °C: 1.5 g/cm<sup>3</sup>
  - Relative density: Not determined.
  - Vapor density: Not applicable.
  - Particle characteristics: Not determined.
- 
- Other information
  - Appearance:
  - Form: Powder
  - AUTO IGNITION: Not self igniting
  - Danger of explosion: Product does not present an explosion hazard.
  - Solvent content:
  - VOC-Content: 0.00 %
  - Solids content: 96.2-99 %
  - Volatile Organic Compounds: 0 g/l
  - Change in condition
  - Evaporation rate: Not applicable.

### 10 Stability and reactivity

- Reactivity: No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.

(Contd. on page 7)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 6)

- **Incompatible materials:** **No further relevant information available.**
- **Hazardous decomposition products:** **No dangerous decomposition products known.**

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

CAS: 10034-76-1 Calciumsulfat-Halbhydrat

Oral	LD50	>2,000 mg/kg (Rat)
------	------	--------------------

CAS: 13463-67-7 Titandioxid

Oral	LD50	>10,000 mg/kg (Rat)
------	------	---------------------

Dermal	LD50	>10,000 mg/kg (-)
--------	------	-------------------

Inhalative	LC50/4 h	>5 mg/l (-)
------------	----------	-------------

CAS: 21645-51-2 Aluminiumhydroxid

Oral	LD50	>2,000 mg/kg (Rat)
------	------	--------------------

- **Primary irritant effect:**

- **on the skin:** **Irritant to skin and mucous membranes.**
- **on the eye:** **Strong irritant with the danger of severe eye injury.**
- **Sensitization:** **No sensitizing effects known.**

- **Additional toxicological information:** **The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 14808-60-7	Quarz	<b>1</b>
CAS: 13463-67-7	Titandioxid	<b>2B</b>
CAS: 69012-64-2	Microsilica Pulver	<b>3</b>
CAS: 14807-96-6	Talkum	<b>2A</b>

- **NTP (National Toxicology Program)**

CAS: 14808-60-7	Quarz	<b>K</b>
-----------------	-------	----------

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** **No further relevant information available.**
- **Persistence and degradability** **No further relevant information available.**
- **Bioaccumulative potential** **No further relevant information available.**
- **Mobility in soil** **No further relevant information available.**
- **Results of PBT and vPvB assessment**
- **PBT:** **Not applicable.**
- **vPvB:** **Not applicable.**
- **Other adverse effects**
- **Additional ecological information:**

- **General notes:** **Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**

(Contd. on page 8)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 7)

**Must not reach bodies of water or drainage ditch undiluted or unneutralized.**

**Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.**

### 13 Disposal considerations

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· Waste treatment methods</li> <li>· Recommendation:</li> <li>· Uncleaned packagings:</li> <li>· Recommendation:</li> <li>· Recommended cleansing agent:</li> </ul> | <p><b>Must be forwarded for special treatment in accordance with local authority regulations, e.g. suitable incineration plant.</b></p> <p><b>Disposal in accordance with official regulations</b></p> <p><b>Disposal must be made according to official regulations.</b></p> <p><b>Water, if necessary with cleansing agents.</b></p> |
|--|--|

### 14 Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT/TDG, ADR, ADN, IMDG, IATA</li> </ul>                                   | <p><b>Void</b></p>   |
| <ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT/TDG, ADR, ADN, IMDG, IATA</li> </ul>                     | <p><b>Void</b></p>   |
| <ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT/TDG, ADR, ADN, IMDG, IATA</li> <li>· Class</li> </ul> | <p><b>Void</b></p>   |
| <ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT/TDG, ADR, IMDG, IATA</li> </ul>                                    | <p><b>Void</b></p>   |
| <ul style="list-style-type: none"> <li>· Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>                                  | <p><b>No</b></p>   |
| <ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>              | <p><b>Not applicable.</b></p>                                      |
| <ul style="list-style-type: none"> <li>· Transport/Additional information:</li> </ul>  | <p><b>Not dangerous according to the above specifications.</b></p> |
| <ul style="list-style-type: none"> <li>· Special precautions for user</li> </ul>   | <p><b>Not applicable.</b></p>                                      |
| <ul style="list-style-type: none"> <li>· UN "Model Regulation":</li> </ul>   | <p><b>Void</b></p>   |

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Sara
- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· Section 355 (extremely hazardous substances):</li> </ul>   | <p><b>None of the ingredient is listed.</b></p> |
| <ul style="list-style-type: none"> <li>· Section 313 (Specific toxic chemical listings):</li> </ul> | <p><b>CAS: 554-13-2 Lithiumcarbonat</b></p>     |

(Contd. on page 9)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 8)

CAS: 557-05-1 Zinkstearat

## · TSCA (Toxic Substances Control Act):

CAS: 65997-16-2	Calcium Aluminate Cement	ACTIVE
CAS: 14808-60-7	Quarz	ACTIVE
CAS: 65997-15-1	Portland Cement	ACTIVE
CAS: 13463-67-7	Titandioxid	ACTIVE
CAS: 1317-61-9	IRON OXIDE	ACTIVE
CAS: 21645-51-2	Aluminiumhydroxid	ACTIVE
CAS: 69012-64-2	Microsilica Pulver	ACTIVE
CAS: 14807-96-6	Talkum	ACTIVE
CAS: 497-19-8	Soda leicht, Natriumcarbonat	ACTIVE
CAS: 554-13-2	Lithiumcarbonat	ACTIVE
CAS: 557-05-1	Zinkstearat	ACTIVE

## · MAK (German Maximum Workplace Concentration)

CAS: 14808-60-7	Quarz	1
CAS: 13463-67-7	Titandioxid	3A
CAS: 14807-96-6	Talkum	3B

## · Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients is listed.

## · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

## · Hazard pictograms



GHS05 GHS08

## · Signal word

Danger

## · Hazard-determining components of labeling:

Quarz  
Portland Cement  
Titandioxid

## · Hazard statements

Causes skin irritation.  
Causes serious eye damage.  
May cause cancer.  
May form combustible dust concentrations in air.  
Keep out of reach of children.  
Do not handle until all safety precautions have been read and understood.  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
IF ON SKIN: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
IF exposed or concerned: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Precautionary statements

(Contd. on page 10)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Date of issue 11/26/2025

Version number 37

Revision: 11/26/2025

Trade name: Servoperl Royal

(Contd. of page 9)

- **National regulations:**
- **Information about limitation of use:**

**Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.**

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

**To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use, or reliance in this information, nor do we guarantee its accuracy or completeness.**

- **Relevant phrases**
  - H315 Causes skin irritation.**
  - H318 Causes serious eye damage.**
  - H319 Causes serious eye irritation.**
  - H335 May cause respiratory irritation.**
  - H350 May cause cancer.**
- **Date of previous version** 05/11/2022
- **Version number of previous version:** 36
- **Date of preparation** 11/26/2025
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods**
  - DOT: US Department of Transportation**
  - IATA: International Air Transport Association**
  - EINECS: European Inventory of Existing Commercial Chemical Substances**
  - ELINCS: European List of Notified Chemical Substances**
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)**
  - NFPA: National Fire Protection Association (USA)**
  - HMIS: Hazardous Materials Identification System (USA)**
  - VOC: Volatile Organic Compounds (USA, EU)**
  - LC50: Lethal concentration, 50 percent**
  - LD50: Lethal dose, 50 percent**
  - PBT: Persistent, Bioaccumulative and Toxic**
  - vPvB: very Persistent and very Bioaccumulative**
- **\* Data compared to the previous version altered.**

CA